

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Date of issue: 11/20/2019 Version: 1.0

SECTION 1: Identification

Identification

Product form : Mixture

Product name SensaMist Oil WHITE TEA & THYME

CAS-No. **MIXTURE**

: SM-32-TEA-THYME Product code

Recommended use and restrictions on use

No additional information available

1.3. **Supplier**

Vectair Systems Inc

2095 Spicer Cove, Covington Way Distribution Centre

Memphis TN 38134, USA Toll Free: 877-697-7276

Emergency telephone number

Emergency number : INFOTRAC (US & Canada) 1-800-535-5053 | (International) 1-352-323-3500

SECTION 2: Hazard(s) identification

Classification of the substance or mixture

GHS-US classification

Acute toxicity (inhalation:dust,mist) Category 4

Skin corrosion/irritation Category 2

Serious eye damage/eye irritation Category 1

Skin sensitization, Category 1

Full text of H statements: see section 16

H332 Harmful if inhaled H315 Causes skin irritation

H318 Causes serious eye damage

H317 May cause an allergic skin reaction

GHS Label elements, including precautionary statements

GHS US labeling

Hazard pictograms (GHS US)





Signal word (GHS US) : Danger

Hazard statements (GHS US) : H315 - Causes skin irritation

H317 - May cause an allergic skin reaction H318 - Causes serious eye damage

H332 - Harmful if inhaled

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray. Precautionary statements (GHS US)

P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P272 - Contaminated work clothing must not be allowed out of the workplace P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338 - If in eyes: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing P310 - Immediately call a poison center or doctor P312 - Call a poison center or doctor if you feel unwell

P321 - Specific treatment (see supplemental first aid instruction on this label)

P332+P313 - If skin irritation occurs: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical advice/attention. P362+P364 - Take off contaminated clothing and wash it before reuse.

P363 - Wash contaminated clothing before reuse.

P501 - Dispose of contents/container to hazardous or special waste collection point, in

accordance with local, regional, national and/or international regulation

11/20/2019 EN (English US) Page 1

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

2.3. Other hazards which do not result in classification

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
DIPROPYLENE GLYCOL	(CAS-No.) 110-98-5	30 - 70	Acute Tox. 4 (Inhalation:dust,mist), H332
Linalool	(CAS-No.) 78-70-6	5 - 10	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1B, H317
LINALYL ACETATE	(CAS-No.) 115-95-7	1 - 5	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
HEXYL CINNAMIC ALDEHYDE	(CAS-No.) 101-86-0	1 - 5	Skin Sens. 1B, H317
GERANIOL 950	(CAS-No.) 106-24-1	1 - 5	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317
PEOMOSA	(CAS-No.) 19819-98-8	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
TIMBERSILK	(CAS-No.) 54464-57-2	1 - 5	Skin Irrit. 2, H315 Skin Sens. 1B, H317
BENZYL BENZOATE	(CAS-No.) 120-51-4	1 - 5	Acute Tox. 4 (Oral), H302
CITRAL EOA	(CAS-No.) 5392-40-5	0.5 - 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317
d-Limonene	(CAS-No.) 5989-27-5	< 0.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304

Full text of hazard classes and H-statements: see section 16

SECTION 4: First-aid measures

4.1. Description of first aid measures

First-aid measures general : Get medical advice/attention if you feel unwell. Call a poison center/doctor/physician if you feel

unwel

First-aid measures after inhalation : Remove person to fresh air and keep comfortable for breathing. If experiencing respiratory

symptoms: Call a poison center or a doctor. Call a poison center/doctor/physician if you feel

unwell.

First-aid measures after skin contact : Wash skin with plenty of water. Take off contaminated clothing. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention.

medical advice/attention. If skin imitation of fash occurs. Get medical advice/attention.

First-aid measures after eye contact : Rinse eyes with water as a precaution. Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists:

Get medical advice/attention. Call a physician immediately.

First-aid measures after ingestion : Call a poison center/doctor/physician if you feel unwell.

4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

4.3. Immediate medical attention and special treatment, if necessary

Treat symptomatically.

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Water spray. Dry powder. Foam. Carbon dioxide.

5.2. Specific hazards arising from the chemical

No additional information available

11/20/2019 EN (English US) 2/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Special protective equipment and precautions for fire-fighters

Protection during firefighting

: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6: Accidental release measures

Personal precautions, protective equipment and emergency procedures 6.1.

6.1.1. For non-emergency personnel

Emergency procedures

: Ventilate spillage area. Avoid breathing dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eves.

6.1.2. For emergency responders

Protective equipment

: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".

Environmental precautions

Avoid release to the environment.

Methods and material for containment and cleaning up

Methods for cleaning up

: Take up liquid spill into absorbent material.

Other information

: Dispose of materials or solid residues at an authorized site.

Reference to other sections

For further information refer to section 13.

SECTION 7: Handling and storage

Precautions for safe handling

Precautions for safe handling

: Use only outdoors or in a well-ventilated area. Avoid breathing

dust/fume/gas/mist/vapors/spray. Avoid contact with skin and eyes. Wear personal protective

equipment.

Hygiene measures

: Wash contaminated clothing before reuse. Contaminated work clothing should not be allowed out of the workplace. Do not eat, drink or smoke when using this product. Always wash hands after handling the product.

Conditions for safe storage, including any incompatibilities

Storage conditions

: Store in a well-ventilated place. Keep cool.

SECTION 8: Exposure controls/personal protection

Control parameters

BENZYL BENZOATE (120-51-4)

Not applicable

GERANIOL 950 (106-24-1)

Not applicable

Linalool (78-70-6)

Not applicable

DIPROPYLENE GLYCOL (110-98-5)

Not applicable

LINALYL ACETATE (115-95-7)

Not applicable

d-Limonene (5989-27-5)

Not applicable

CITRAL EOA (5392-40-5)		
ACGIH	Local name	Citral
ACGIH	ACGIH TWA (ppm)	5 ppm (IFV - Inhalable fraction and vapor)
ACGIH	Remark (ACGIH)	TLV® Basis: Body weight eff; URT irr; eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
ACGIH	Regulatory reference	ACGIH 2018

11/20/2019 3/10 EN (English US)

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

HEXYL CINNAMIC ALDEHYDE (101-86-0)

Not applicable

PEOMOSA (19819-98-8)

Not applicable

TIMBERSILK (54464-57-2)

Not applicable

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.

Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures/Personal protective equipment

Hand protection:

Protective gloves

Eye protection:

Safety glasses

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Wear respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Liquid

Color : Mixture contains one or more component(s) which have the following colour(s):

White Colourless to light yellow Colourless Light yellow to colourless On exposure to air: yellow

On exposure to light: yellow Colourless to yellow

Odor : There may be no odour warning properties, odour is subjective and inadequate to warn of

overexposure.

Mixture contains one or more component(s) which have the following odour: Mild odour Pleasant odour Aromatic odour Sweet odour Fruity odour Floral odour

Irritating/pungent odour Strong odour Characteristic odour Almost odourless Alcohol odour

Lemon odour Phenol odour Peppermint odour

Odor threshold : No data available pH : No data available Melting point : Not applicable Freezing point : No data available Boiling point : No data available : No data available

Flash point : 99 °C

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : Not applicable. Vapor pressure : No data available Relative vapor density at 20 °C No data available Relative density : No data available No data available Solubility Log Pow : No data available : No data available Auto-ignition temperature Decomposition temperature No data available : No data available Viscosity, kinematic : No data available Viscosity, dynamic **Explosion limits** : No data available

11/20/2019 EN (English US) 4/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Explosive properties : No data available
Oxidizing properties : No data available

9.2. Other information

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use.

10.4. Conditions to avoid

None under recommended storage and handling conditions (see section 7).

10.5. Incompatible materials

No additional information available

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effective
--

Acute toxicity (oral) : Not classified

Acute toxicity (dermal) : Not classified

Acute toxicity (inhalation) : Harmful if inhaled.

ATE US (dust, mist)	4.709 mg/l/4h

BENZYL BENZOATE (120-51-4)	:NZYL BENZOATE (120-51-4)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 401: Acute Oral Toxicity, Rat, Male/female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	> 2 ml/kg (Modification of Draize 1959 method, 4 h, Rabbit, Experimental value, Dermal)	
ATE US (oral)	1500 mg/kg body weight	
ATE US (dermal)	4000 mg/kg body weight	

GERANIOL 950 (106-24-1)	
LD50 oral rat	3600 mg/kg body weight (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg (Rabbit, Experimental value, Dermal)
ATE US (oral)	3600 mg/kg body weight

Linalool (78-70-6)	lool (78-70-6)	
LD50 oral rat	2790 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral, 14 day(s))	
LD50 dermal rabbit	5610 mg/kg body weight (Equivalent or similar to OECD 402, 24 h, Rabbit, Experimental value, Dermal, 7 day(s))	
ATE US (oral)	2790 mg/kg body weight	
ATE US (dermal)	5610 mg/kg body weight	

DIPROPYLENE GLYCOL (110-98-5)	
LD50 oral rat	> 5000 mg/kg body weight (Equivalent or similar to OECD 401, Rat, Male / female, Experimental value, Oral)
LD50 dermal rabbit	> 5010 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Male / female, Experimental value, Dermal)
LC50 inhalation rat (mg/l)	2.34 mg/l (Equivalent or similar to OECD 403, Rat, Male / female, Experimental value, Inhalation)
ATE US (vapors)	2.34 mg/l/4h
ATF US (dust. mist)	2.34 mg/l/4h

d-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg body weight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat, Female, Read-across, Oral)

11/20/2019 EN (English US) 5/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

d-Limonene (5989-27-5)		
LD50 dermal rabbit	> 5000 mg/kg body weight (Equivalent or similar to OECD 402, Rabbit, Weight of evidence, Dermal)	
CITRAL EOA (5392-40-5)		
ATE US (dermal)	2250 mg/kg body weight	
HEXYL CINNAMIC ALDEHYDE (101-86	S-O)	
ATE US (oral)	3100 mg/kg body weight	
PEOMOSA (19819-98-8)		
ATE US (oral)	1609 mg/kg body weight	
TIMBERSILK (54464-57-2)		
LD50 oral rat	>= 5000 mg/kg	
LD50 dermal rat	>= 5000 mg/kg	
Skin corrosion/irritation	: Causes skin irritation.	
Serious eye damage/irritation	: Causes serious eye damage.	
Respiratory or skin sensitization	: May cause an allergic skin reaction.	
Germ cell mutagenicity	: Not classified	
Carcinogenicity	: Not classified	

d-Limonene (5989-27-5)		
	IARC group	3 - Not classifiable

Reproductive toxicity : Not classified STOT-single exposure : Not classified

STOT-repeated exposure : Not classified

Symptoms/effects after skin contact : Irritation. May cause an allergic skin reaction.

Symptoms/effects after eye contact : Serious damage to eyes.

SECTION 12: Ecological information

Toxicity

12.1.

Ecology - general	: The product is not considered harmful to aquatic organisms or to cause long-term adverse effects in the environment.
DENZVI DENZOATE (400 E4 4)	

BENZYL BENZOATE (120-51-4)	
LC50 fish 1	2.32 mg/l (EU Method C.1, 96 h, Danio rerio, Semi-static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	3.09 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
GERANIOL 950 (106-24-1)	
LC50 fish 1	22 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Danio rerio, Static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	10.8 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, Locomotor effect)
ErC50 (algae)	13.1 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, GLP)
Linalool (78-70-6)	
LC50 fish 1	27.8 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oncorhynchus mykiss, Static system, Fresh water, Experimental value, GLP)
EC50 Daphnia 1	59 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)

11/20/2019 EN (English US) 6/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Linalool (78-70-6)	
ErC50 (algae)	156.7 mg/l (DIN 38412-9, 96 h, Desmodesmus subspicatus, Static system, Fresh water, Experimental value, Nominal concentration)
DIPROPYLENE GLYCOL (110-98-5)	
LC50 fish 1	> 1000 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Oryzias latipes, Semi-static system, Fresh water, Experimental value)
LC50 other aquatic organisms 1	3181 mg/l (Other, 48 h, Xenopus laevis, Fresh water, Experimental value)
EC50 Daphnia 1	> 100 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value)
LINALYL ACETATE (115-95-7)	
LC50 fish 1	11 mg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Cyprinus carpio)
EC50 Daphnia 1	15 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna)
d-Limonene (5989-27-5)	
LC50 fish 1	720 µg/l (OECD 203: Fish, Acute Toxicity Test, 96 h, Pimephales promelas, Flow-through system, Fresh water, Experimental value, Lethal)
EC50 Daphnia 1	0.36 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Static system, Fresh water, Experimental value, GLP)
TIMPEDOU K (54404 57 0)	
TIMBERSILK (54464-57-2)	
LC50 fish 1	≈ 1.3 mg/l Bluegill Sunfish
EC50 Daphnia 1	≈ 1.38 mg/l Water Flea
ErC50 (algae)	≈ 2.6 mg/l Green Algae
Licou (algae)	~ 2.0 mg/i Oreen Aigae

12.2. Persistence and degradability

BENZYL BENZOATE (120-51-4)		
Persistence and degradability	Readily biodegradable in water.	
GERANIOL 950 (106-24-1)		
Persistence and degradability	Readily biodegradable in water.	
Linalool (78-70-6)		
Persistence and degradability	Readily biodegradable in water.	
DIPROPYLENE GLYCOL (110-98-5)		
Persistence and degradability	Readily biodegradable in water.	
LINALYL ACETATE (115-95-7)		
Persistence and degradability	Readily biodegradable in water.	
d-Limonene (5989-27-5)		
Persistence and degradability	Readily biodegradable in water.	
ThOD	3.29 g O ₂ /g substance	

12.3. Bioaccumulative potential

BENZYL BENZOATE (120-51-4)		
BCF fish 1	2.286 (BCFBAF v3.00, Pisces, QSAR)	
Log Pow	3.97 (Experimental value, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
GERANIOL 950 (106-24-1)		
Log Pow	2.6 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
Linalool (78-70-6)		
Log Pow	2.84 (Experimental value, Equivalent or similar to OECD 107, 25 °C)	
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).	
DIPROPYLENE GLYCOL (110-98-5)		
Log Pow	-0.462 (Test data, Equivalent or similar to OECD 107, 21.7 °C)	
Bioaccumulative potential	Bioaccumulation: not applicable.	

11/20/2019 EN (English US) 7/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

LINALYL ACETATE (115-95-7)	
Log Pow	3.93 (Experimental value)
Bioaccumulative potential	Low potential for bioaccumulation (Log Kow < 4).
d-Limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (Pisces, QSAR, Fresh weight)
Log Pow	4.38 (Experimental value, OECD 117: Partition Coefficient (n-octanol/water), HPLC method, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).

12.4. Mobility in soil

BENZYL BENZOATE (120-51-4)	
Surface tension	0.027 N/m (210 °C)
Log Koc	3.8 (log Koc, OECD 121: Estimation of the Adsorption Coefficient (Koc) on Soil and on Sewage Sludge using High Performance Liquid Chromatography (HPLC), Experimental value)
Ecology - soil	Low potential for mobility in soil.
GERANIOL 950 (106-24-1)	
Log Koc	1.85 (log Koc, PCKOCWIN v1.66, Calculated value)
Ecology - soil	Highly mobile in soil.
Linalool (78-70-6)	
Surface tension	8.3 mN/m (20 °C, ISO 9101: Surface active agents - Determination of interfacial tension)
Ecology - soil	No (test)data on mobility of the substance available.
DIPROPYLENE GLYCOL (110-98-5)	
Surface tension	71.4 mN/m (22 °C, 1.01 g/l)
Log Koc	0.78 (log Koc, Calculated value)
Ecology - soil	Low potential for adsorption in soil.
LINALYL ACETATE (115-95-7)	
Ecology - soil	Adsorbs into the soil.
d-Limonene (5989-27-5)	
Ecology - soil	Adsorbs into the soil.

12.5. Other adverse effects

No additional information available

SECTION 13: Disposal considerations

13.1. Disposal methods

Waste treatment methods : Dispose of contents/container in accordance with licensed collector's sorting instructions.

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT

Not regulated

Transportation of Dangerous Goods

Not applicable

Transport by sea

Not regulated

11/20/2019 EN (English US) 8/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Air transport

Not regulated

SECTION 15: Regulatory information

15.1. US Federal regulations

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

15.2. International regulations

CANADA

BENZYL BENZOATE (120-51-4)

Listed on the Canadian DSL (Domestic Substances List)

GERANIOL 950 (106-24-1)

Listed on the Canadian DSL (Domestic Substances List)

Linalool (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

DIPROPYLENE GLYCOL (110-98-5)

Listed on the Canadian DSL (Domestic Substances List)

LINALYL ACETATE (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

d-Limonene (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

CITRAL EOA (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

HEXYL CINNAMIC ALDEHYDE (101-86-0)

Listed on the Canadian DSL (Domestic Substances List)

PEOMOSA (19819-98-8)

Listed on the Canadian DSL (Domestic Substances List)

TIMBERSILK (54464-57-2)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

No additional information available

National regulations

No additional information available

SECTION 16: Other information

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

11/20/2019 EN (English US) 9/10

Safety Data Sheet

according to Federal Register / Vol. 77, No. 58 / Monday, March 26, 2012 / Rules and Regulations

Full text of H-phrases:

H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.

11/20/2019 EN (English US) 10/10